# Example Items Algebra I Pre-AP

**Algebra I Pre-AP Example Items** are a **representative set** of items for the ACP. Teachers may use this set of items along with the test blueprint

as guides to prepare students for the ACP. On the last page, the correct answer, content SE and SE justification are listed for each item.

The specific part of an SE that an Example Item measures is NOT necessarily the only part of the SE that is assessed on the ACP. None of these Example Items will appear on the ACP.

Teachers may provide feedback regarding Example Items.

(1) Download the Example Feedback Form and email it. The form is located on the homepage of the Assessment website: https://assessment.dallasisd.org.

OR

(2) To submit directly, click "Example Feedback – online form" after you click the Example Items link under ACP Resources on the ACP tab on the Assessment website.

First Semester 2020–2021 Code #: 1191

# STAAR ALGEBRA I REFERENCE MATERIALS



FACTORING	
Perfect square trinomials	$a^{2} + 2ab + b^{2} = (a + b)^{2}$ $a^{2} - 2ab + b^{2} = (a - b)^{2}$
Difference of squares	$a^2 - b^2 = (a - b)(a + b)$
PROPERTIES OF EXPONENTS	
Product of powers	$a^m a^n = a^{(m+n)}$
Quotient of powers	$\frac{a^m}{a^n} = a^{(m-n)}$
Power of a power	$(a^m)^n = a^{mn}$
Rational exponent	$a^{\frac{m}{n}} = \sqrt[n]{a^m}$
Negative exponent	$a^{-n} = \frac{1}{a^n}$
LINEAR EQUATIONS	
Standard form	Ax + By = C
Slope-intercept form	y = mx + b
Point-slope form	$y - y_1 = m(x - x_1)$
Slope of a line	$m = \frac{y_2 - y_1}{x_2 - x_1}$
QUADRATIC EQUATIONS	
Standard form	$f(x) = ax^2 + bx + c$
Vertex form	$f(x) = a(x-h)^2 + k$
Quadratic formula	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
Axis of symmetry	$x = \frac{-b}{2a}$

#### HIGH SCHOOL

																																							_		
	—				_						_						_					_				_	_	_				_					_		$\rightarrow$	$\rightarrow$	
	-						-							-					_			-	-			-	-	-		-	_						-		-	-	_
	+				_						_											_		_	_	-	-				_	-					-		$\rightarrow$	$\rightarrow$	
														- 1																									1		
																																								-	
																							_					_											$\rightarrow$	$\rightarrow$	
					-		-				-			-+	-		-		-	-		-	-			-	+	-		-		-					-		-	-+	
	—	-												_								_	_	_	_	_	_				_	_					_		$\rightarrow$	$\rightarrow$	
					-		-				-			-					-	-			-			-	-			-									-	-+	
	+-				_						_								_	_	_	_	-		_	-	-	_									-		$\rightarrow$	$\rightarrow$	
	-																																							-	
	—													_								_	_		_			_									_		$\rightarrow$	$\rightarrow$	
	+													-			-					-	-			-	-	-									-		-	-+	
	+	-	$\left  \right $		_				-	$\left  \right $	_			_	$\rightarrow$		_						+			-	+	_	$\mid$			+	+	-	-	$\vdash$			$\rightarrow$	$\rightarrow$	
																																								- 1	
	+														-							+	+	-		-	+						1						-+	+	_
	+	-																										_				-	-	<u> </u>			_		$\rightarrow$	$\rightarrow$	
														- 1																									1		
	+	1	+	-								-		-	+						-	+	+	+		+	+	-				+	+	-	-		-		+	+	_
																											$\perp$														
				T	1	T					1		Τ	T	T		T	T	1		T		T							T									T	T	
	+-	-	+		_						_			-+	-+		_						-			-	+					+	+	-	-	$\vdash$		$\left  \right $	$\rightarrow$	$\rightarrow$	
	+	1													-												1												$\neg$	$\rightarrow$	_
	+	-																							_		-	_				-		-	-		_		<u> </u>	$\rightarrow$	
	+	1		-										-	+		-				-	+	+	-		-	+					1	1						$\rightarrow$	+	-
	_																																								
	+				_	-					_			-				-	_	_		-		-		-	+					-					-		-+	$\rightarrow$	
																						_		_	_	_	_	_			_	_	_				_		$\rightarrow$	$\rightarrow$	
	-																																							-	
																																							$ \rightarrow $	$\rightarrow$	
_					-	-					-	-		-+	-		-	-	_	-	-	-	-	-	_	+	+	-		-	-	-	-				-		$\rightarrow$	$\rightarrow$	
														_									_			_	_	_			_						_		$\rightarrow$		
	+				-		_				-			-			-		_			-	-			+	+			-		-					-		-	$\rightarrow$	
	+					_								-+				_	_			-	-	-	_	-	+					-					-		$\rightarrow$	$\rightarrow$	
																																								-	
																							_		_	_											_			$\rightarrow$	
					-		-				-			-					-	-			-			-				-									-	$\rightarrow$	
	_																																_								
			ΙĪ	[	I		I	1		1	I		[	1	ſ	Ι	[		I	I										[								1	, I		
	+	-	$\vdash$		_				-	+					-+		_			_		-+	-		_	-	+					+	-	-	-		-		$\rightarrow$	$\rightarrow$	_
														- 1																									1		
	1																																							-	
	+	-												_							_		_	_	_	-	-	_				-	-	-	-		-		$\rightarrow$	$\rightarrow$	
	+														-+							+	+	-		-	+						1						-+	+	_
	+	1								$\square$																							-				_		$\square$	$ \rightarrow $	
	+	-	+			-		$\square$				-		+	-		-	-				+	+		+	+	+					+	+	-	-	$\vdash$	-		-+	$\rightarrow$	_
	T														-												T					T									-
	+	-	$\left  \right $						-						-+						_		-		_	_	+	_			_	-		-		$\square$	_		$\rightarrow$	$\rightarrow$	
	1													-	-								+	-		-	+			-									$\rightarrow$	+	
	+	-																									-	_				-	-	-			_		$\rightarrow$	$\rightarrow$	
														- 1																									. 1		
	+	1			-							-		-	+		-					+	+			+	+					+	+		1		-		-+	+	-
						T							T	T	T		T	T	1		T	T	T	T	T														T	T	
	+	-	$\vdash$		_				-	+					-+		_			_		-+	-		_	-	+	-				+	-	-	-		-		$\rightarrow$	$\rightarrow$	_
	+	1												-1									+	+			+						1						$\rightarrow$	$\rightarrow$	
	+	-	$\left  \right $						_	$\vdash$				_	$\rightarrow$										_	_	_	_				-	+	-	-	$\vdash$			$\rightarrow$	$\rightarrow$	
	+	1	+ +			-						-		+	+		-	-				+	+			+	+	-				+	+	1	1		-		$\rightarrow$	-+	
			ΙŤ	Т	٦	T	٦			$  \top$	٦	T	Т	Т	T	T	T	T	٦	Τ	T	Г	Τ	Г						Т								1	Τ	T	
	+-	-	+		_	-			-				-+	-+	+			-					+	-+		-	+					+	+	-	-	$\vdash$			$\rightarrow$	$\rightarrow$	
	T														1												T					T									-
$\vdash$	+	-			_	_			-		_			_	-+			_				-+	+	-+	_	_	-	_				-		-	-	$\vdash$			<u> </u>	$\rightarrow$	
	1													-	-								+	-		-	+			-									-+	+	
	+	1								$\square$																		_				-	-				_		$ \longrightarrow $	$ \rightarrow$	
		1													- 1																			1	1				. I		

A line is graphed on the coordinate grid as shown.

1



Which table shows the same rate of change as the line in the graph?



С

X	<b>y</b>
-6	3
-3	4
0	5
3	6
6	7

. . . . . .

. . . . .

X	y
-4	3
-2	-3
0	-9
2	-15
4	-21

D

X	y y
2	3
5	6
8	9
11	12
14	15

**2** What is the equation of the line that passes through the point (-1, -9) and has an undefined slope?

**A** y = -1

В

- **B** *y* = −9
- **C** x = -1
- **D** x = -9

3

The table represents some points on the graph of a linear function.

x	f(x)
-6	-5
-2	-2
2	1
6	4
10	7

. . . . . .

Which equation represents the same relationship?

- **A** 3x 4y = 5
- **B** 3x 4y = 2
- **C** 4x 3y = 5
- **D** 4x 3y = -2

**4** What is the equation of a line parallel to 2x - 8y = 3 that contains the point (8, -11)?

- **A** x 4y = 52
- **B** x 4y = -52
- **C** 4x y = 43
- **D** 4x + y = 21

5

Which ordered pair represents a solution to the inequality 5x + 4y > 12?

- **A** (4, -2)
- **B** (-4, 2)
- **C** (4, 2)
- **D** (-4, -2)

**6** The value of y is directly proportional to the value of x. If y = 12 when x = 15, what is the value of x when y = 40?

- **A** 12
- **B** 32
- **C** 43
- **D** 50

The graph of a linear function is shown on the coordinate grid.



. . . . .

What is the equation of a line that contains the point (-15, 4) and is parallel to the function represented by the graph?

- **A** y = 5x + 79
- **B** y = 5x 79
- **C**  $y = \frac{1}{5}x + 7$
- **D**  $y = \frac{1}{5}x 7$
- 8 During game 3 of the basketball championships, San Antonio scored 97 points consisting of 2-point and 3-point baskets. If San Antonio made a total of 45 baskets, how many of each type did they made?
  - A 2-point baskets: 7 3-point baskets: 38
  - B 2-point baskets: 38 3-point baskets: 7
  - C 2-point baskets: 42 3-point baskets: 3
  - D 2-point baskets: 3 3-point baskets: 42

7

# **9** What value of x makes the equation $\frac{1}{2}(5x + 16) - \frac{3}{2}(x - 8) = -4$ true?

Ð	$\odot$	$\odot$	$\odot$	$\odot$	$\odot$	$\odot$	$\odot$
Θ	0	0	0	0	0	0	0
	1	1	1	1	1	1	1
	2	2	2	2	2	2	2
	3	3	3	3	3	3	3
	4	4	4	4	4	4	4
	5	5	5	5	5	5	5
	6	6	6	6	6	6	6
	$\bigcirc$	$\overline{O}$	$\bigcirc$	$\bigcirc$	$\overline{\mathcal{O}}$	$\overline{O}$	$\overline{O}$
	8	8	8	8	8	8	8
	9	9	9	9	9	9	9

. . . . . .

Record the answer and fill in the bubbles on the grid provided. Be sure to use the correct place value.

**10** The table represents several points on the graph of a linear function.

x	-27	-12	-3	3	18
У	39	19	7	-1	-21

What is the rate of change of y with respect to x for this function?

Α	$\frac{4}{3}$
В	<u>3</u> 4
с	$-\frac{3}{4}$
D	$-\frac{4}{3}$

Which situation is represented by the function f(x) = 65 + 0.24x?

- **A** An equipment rental company charges \$65 a day plus \$24 for the damage fees.
- **B** A shoe salesperson earns 24% of all sales over \$65.
- **C** A cell phone company charges \$65 plus \$0.24 per minute used.
- **D** A person can download 65 songs for free, then they must pay \$0.24 per song after that.

The graph of a function is shown.



. . . .

What is the domain of this function?

- **A**  $\{x \mid -9 \le x \le 3\}$
- **B**  $\{x \mid -9 \le x < 3\}$
- $\mathbf{C} \qquad \{y \mid -4 \leq y \leq 8\}$
- $\mathbf{D} \qquad \big\{ y \big| -4 \le y < 8 \big\}$

**13** The table shows the total cost of a meal at a local restaurant. The meal includes a main dish and a choice of several side dishes.

Number of Side Dishes	Total Cost of Meal
2	\$6.00
3	\$7.25
4	\$8.50
5	\$9.75
6	\$11.00

How much does it cost to buy a meal with zero side dishes?

- **A** \$1.25
- **B** \$2.50
- **C** \$3.50
- **D** \$4.75

12

What value of y makes the equation -6y + 3(12y) = 20(y - 1) + 15 true?

- 14
- **A** -0.5
- **B** -0.1
- **C** 1.4
- **D** 3.5

**15** What is the *x*-intercept of the function  $f(x) = \frac{1}{2}x - 4$ ?

- **A** (0, 4)
- **B** (0, 8)
- **C** (4, 0)
- **D** (8, 0)

16

The table contains some points on the graph of a linear function.

x	У
2	-3.5
4	-2.0
6	-0.5
10	2.5

What is the equation of a line that contains the point (-12, 12) and is perpendicular to the function represented by the table?

- **A** 3x + 4y = 12
- $\mathbf{B} \qquad 3x 4y = -84$
- **C** 4x + 3y = -12
- $\mathbf{D} \qquad 4x 3y = -84$

**17** Nellie has \$24 to spend on friendship bracelets. Each bracelet costs \$4. The function f(b) = 24 - 4b represents the amount of money Nellie has left, f(b), after purchasing *b* bracelets. What is the range for this situation?

- $\mathbf{A} \qquad 0 \le b \le 6$
- $\mathbf{B} \qquad 0 \leq f(b) \leq 24$
- **C** {0, 1, 2, 3, 4, 5, 6}
- **D** {0, 4, 8, 12, 16, 20, 24}

Two companies are trying to sell laptops to a school district. The tables show the total cost for **18** laptops purchased from each of the companies.

Company 1			Comp	any 2
Laptops Cost			Laptops	Cost
1	\$425		1	\$250
3	\$475		3	\$350
5	\$525		5	\$450

How many laptops would the school district have to purchase for the cost to be the same for both companies?

Ð	$\odot$	$\odot$	$\odot$	$\odot$	$\odot$	$\odot$	$\odot$
Θ	0	0	0	0	0	0	0
	1	1	1	1	1	1	1
	2	2	2	2	2	2	2
	3	3	3	3	3	3	3
	4	4	4	4	4	4	4
	5	5	5	5	5	5	5
	6	6	6	6	6	6	6
	$\bigcirc$	$\overline{O}$	$\bigcirc$	$\bigcirc$	$\bigcirc$	$\overline{O}$	$\bigcirc$
	8	8	8	8	8	8	8
	9	9	9	9	9	9	9

A 44 A 44

Record the answer and fill in the bubbles on the grid provided. Be sure to use the correct place value.

- The theater arts students sold 500 tickets to the spring musical and collected a total of \$3,160. 19 Adult tickets sold for \$8.00 and student tickets sold for \$5.00. Which system of equations is used to find *a*, the number of adult tickets and *s*, the number of student tickets sold?
  - Α a + s = 3,1605a + 8s = 500В a + s = 3,160
  - 8a + 5s = 500С a + s = 500
  - 5a + 8s = 3,160
  - D a + s = 5008a + 5s = 3,160

**20** What is the equation of a line perpendicular to  $y = -\frac{3}{2}x + 7$  that contains the point (12, 6)?

**A**  $y = \frac{2}{3}x + 8$  **B**  $y = \frac{2}{3}x - 2$  **C**  $y = -\frac{3}{2}x + 24$ **D**  $y = -\frac{3}{2}x + 21$ 

21 What is the slope of the line that passes through the points (-5, 7) and (1, -5)?

Ð	$\odot$	$\odot$	$\odot$	$\odot$	$\odot$	$\odot$	$\odot$
Θ	0	0	0	0	0	0	0
	1	1	1	1	1	1	1
	2	2	2	2	2	2	2
	3	3	3	3	3	3	3
	4	4	4	4	4	4	4
	5	5	5	5	5	5	5
	6	6	6	6	6	6	6
	7	$\overline{O}$	$\overline{O}$	7	$\overline{O}$	$\overline{O}$	$\overline{O}$
	8	8	8	8	8	8	8
	9	9	9	9	9	9	9

------

Record the answer and fill in the bubbles on the grid provided. Be sure to use the correct place value.

- **22** A hot air balloon's height, h, varies directly with t, the time in minutes. If the hot air balloon reaches 700 feet in 10 minutes, which direct variation equation represents this situation?
  - **A** h = 70t
  - **B** *t* = 70*h*
  - **C** 70 =  $\frac{t}{h}$
  - $\mathbf{D} \qquad h = \frac{t}{70}$

**23** What is the slope of the line represented by the equation 2x + 4y = 5?

. . . . . .



Which graph represents the solution set of 2x - 3y > 12? 24 V ν Α С 10 X 10 × -1010 V V 0 8 6 В D 10 × 10 × -10 Î0 6 8

# Dallas ISD - Example Items

Item#	Key	SE	SE Justification
1	А	A.3B	Calculate the rate of change of a linear function represented tabularly, graphically in context of mathematical problems.
2	С	A.2G	Write an equation of a line that is perpendicular to the $x$ - or $y$ -axis and determine whether the slope of the line is zero or undefined.
3	В	A.2C	Write linear equations in two variables given a table of values.
4	А	A.2E	Write the equation of a line that contains a given point and is parallel to a given line.
5	С	A.3D	Graph the solution set of linear inequalities in two variables on the coordinate plane.
6	D	A.2D	Solve equations involving direct variation.
7	А	A.2E	Write the equation of a line that contains a given point and is parallel to a given line.
8	В	A.5C	Solve systems of two linear equations with two variables for real-world problems.
9	-24	A.5A	Solve linear equations in one variable, including those for which the application of the distributive property is necessary.
10	D	A.3B	Calculate the rate of change of a linear function represented tabularly in context of mathematical problems.
11	С	A.2C	Write linear equations in two variables given a verbal description.
12	В	A.2A	Determine the domain of a linear function in mathematical problems; and represent domain using inequalities.
13	С	A.3C	Identify key features, including $\gamma$ -intercept, in real-world problems.
14	A	A.5A	Solve linear equations in one variable, including those for which the application of the distributive property is necessary and for which variables are included on both sides.
15	D	A.3C	Identify key features, including x-intercept in mathematical problems.
16	С	A.2F	Write the equation of a line that contains a given point and is perpendicular to a given line.
17	D	A.2A	Determine reasonable range values for real-world situations (discrete).
18	8	A.5C	Solve systems of two linear equations with two variables for real-world problems.
19	D	A.2I	Write systems of two linear equations given a verbal description.
20	В	A.2F	Write the equation of a line that contains a given point and is perpendicular to a given line.
21	-2	A.3A	Determine the slope of a line given two points on the line.
22	А	A.2D	Write equations involving direct variation.
23	В	A.3A	Determine the slope of a line given an equation written in various forms, including $Ax + By = C$ .
24	А	A.3D	Graph the solution set of linear inequalities in two variables on the coordinate plane.